

We adapt to any market needs and in this case we developed an own and unique technology that allows for sub zero temperature and is specially designed for displaying and serving icy cold alcoholic beverages such as beer and cider.

A product that will attract the attention of any buyer thanks to its stylized design, personality and fantastic illumination.



- Exterior customizable.
- Printed and /or illuminated logo in the glass.
- Energy Management Device (EMD).
- Door lock.

## Características

- Interior LED light vertically arranged to maximize the product visibility.
- Interior made of thermoformed plastic and exterior made of metal sheet that provide a great robustness.
- Double glass door mounted on an aluminium profile and handle either inlaid on the side.
- Four shelves included.
- Ecological injected polyurethane insulation free of CFCs, density 40kg /m<sup>3</sup>.
- Temperature control by digital thermostat with automatic defrost.
- Four rollers and two front feet adjustable in height.
- Uniform cold distribution thanks to the excellent design of the ventilated cooling system and its evaporator.
- Automatic evaporation of defrost water.
- Door with self-closing system.
- Low-maintenance condenser.
- Unitary palletized.

## Opciones

### Datos técnicos

|                                     |                  |
|-------------------------------------|------------------|
| External dimensions (mm)            | 620 x 655 x 1850 |
| Net weight (kg)                     | 91               |
| Internal net volume (Lt)            | 400              |
| Capacity 33 cl cans (pcs)           | 518              |
| Lateral serigraphy dimensions (mm)  | 590 x 1825       |
| Transport 40' container / 13m truck | 51 / 60          |
| 24h energy consumption (kW/h)       | 4,1              |
| Climatic class                      | CC2 (32°C/65%HR) |
| Temperature range (°C)              | -3 / -1          |
| Refrigerant                         | R-290            |
| Voltage / frequency                 | 230v / 50Hz      |
| Glass serigraphy dimensions (mm)    | 560 x 1656       |