



Commercial Refrigeration - Water Dispensers - 3-outlet
water dispenser: ambient, chilled and sparkling water

MODEL AGU-E 3S 65 NG

MODEL: _____
NAME: _____
PROJECT NAME: _____
PROJECT AREA: _____
PROJECT ITEM: _____



Commercial Refrigeration - Water Dispensers - 3-outlet
water dispenser: ambient, chilled and sparkling water

Model: AGU-E 3S 65 NG

Reference	19111427
Dimensions (mm)	510 x 440 x 515
Chilled water output (l/h)	65
Ambient water	Yes
Chilled water	Yes
Sparkling water	Yes
Hot water	No
Built-in filtration system	No
Colour	Black

General features

efficold Water Dispensers: Innovation and Versatility for the HORECA Sector

efficold water dispensers are designed for restaurants, hotels and catering services, providing an experience tailored to each customer thanks to their exclusive carbonation system, which allows the bubble size to be adjusted, from gentle effervescence to a more intense sparkle.

Water dispensers are the perfect alternative from a sustainability and resource optimisation perspective, as they reduce the use of single-use plastics and the carbon footprint.

Superior Design and Quality

Manufactured to high quality standards using **recyclable materials**.

Modern, elegant design in stainless steel with a white or matt black finish.

Advanced Features and Benefits

Customisable Sparkling Water: Adjustable bubble size.

Adjustable Temperature: Chilled water temperature can be set.

Adaptive Dispensing: Two different preset dispensing volumes can be configured.


Information Display: Serving temperature and error codes.

Integrated Drain Tray: Guaranteed hygiene and practicality.

Smart Filling System: Press once to dispense the selected volume, or press and hold the button to dispense the desired amount.

efficold

Commercial Refrigeration - Water Dispensers - 3-outlet water dispenser:
ambient, chilled and sparkling water
AGU-E 3S 65 NG



ELECTRICAL TECHNICAL SPECIFICATIONS

Electrical frequency:	50 Hz
Voltage:	220 V
Current (A):	1.1
Phases:	1N

REFRIGERATION TECHNICAL SPECIFICATIONS

Refrigerant type:	R-290
Climate class:	4
Cooling capacity (kW):	436
Condensation system:	VENTILATED
Refrigeration specifications:	NONE
Temperature:	>0
Foaming agent:	CO2
Refrigerant charge (kg):	0.067

DIMENSIONS AND WEIGHT

Net length (front view) (mm):	510
Net width (depth) (mm):	440
Net height (mm):	515
Gross length (front view) (mm):	450
Gross width (depth) (mm):	550
Gross height (mm):	550
Gross/package weight (kg):	35
Net weight (kg):	30

WATER DISPENSER FEATURES

Colour:	Black
Chilled water:	Yes
Ambient water:	Yes
Sparkling water:	Yes
Hot water:	No
Built-in filtration system:	No
Chilled water output (l/h):	65
Ice bank capacity (kg):	3
Preset dose 1 (L):	0.500
Preset dose 2 (L):	0.250

